


[Company](#)
[Audio](#)
[Broadcast](#)
[DSP](#)
[FPGA](#)
[Telecoms](#)
[VideoSec](#)
[Vision](#)
[Links](#)

New Camera Products from Kane Computing

- PIR Cameras
- 5 Megapixel Network Camera
- Panoramic IP Dome Camera
- High Resolution CCD Waterproof IR Cameras
- IR Weaterproof Array LED Camera
- Indoor/Outdoor High Speed Dome Camera
- CCD 3 Axis IR Dome Camera
- IR Waterproof 27x Zoom Camera

PIR Cameras

420TVL camera with built in PIR function with Sony SuperHAD CCD.


[More Information ▶](#)

5 Megapixel Network Camera

Using the latest H.264 video codec based on TI's high performance DaVinci™ platform, the Hikvision DS-2CD886MF-E 5 Megapixel Network Camera delivers exquisite compressed video stream with resolution of up to QXGA (*2560x1920) at 8fps and HD 1080P (1920x1080) at full frame rate.


[More Information ▶](#)

Panoramic IP Dome Camera

Avigilon have announced new panoramic domes, which come in two configurations, 180 degrees and 360 degrees. Each dome uses four x 2 megapixel camera modules with either 45 or 90 degree coverage. The use of four camera modules provides much higher pixel coverage than a fisheye alternative whilst still offering exceptional value.


[More Information ▶](#)

High Resolution CCD Waterproof IR Cameras

Model: KC-UW36KC

1/3" 520TVL high-resolution colour Sony CCD. 9-22mm vari-focal auto iris IR lens: easy to focus and easy to zoom. ICR (Infrared Cut Filter Removable) supported. Colour changes to B/W when IR LED and ICR start working. Cable through bracket for great protection of cables. 190 LEDs ensures night vision distance up to 75m. No colour deflection under

sunshine and halogen lamps. Viewing angle: H 32-14 degrees.



[More Information](#) ▶

IR Weaterproof Array LED Camera

Model: KC-680HCA

1/3" 540TVL Sony Super CCD . Array IR LED for night vision up to 60m. Anti-fogging capability. No spotlight at night vision. No ash-rolling at night version. Alloy waterproof case for outdoor applications.



[More Information](#) ▶

Indoor/Outdoor High Speed Dome Camera

Model: KC-QG968W

1/4" 480TVL Sony Super HAD CCD, 0.7 Lux/F1.4 (colour), 0.02 Lux/F1.4 (B&W), 18x optical zoom and 12x digital zoom. Alarm function: 4 channel input, 1 channel output. Driven by a precise stepper electric motor, the unit runs smoothly, reacts quickly and locates positions accurately.



[More Information](#) ▶

CCD 3 Axis IR Dome Camera

Model: KC-632DV10

1/3" 550TVL Sony DSP CCD for best image quality. 4-9mm varifocal auto iris lens (easy focus and zoom). Power Supply: DC12V. 3 axis rotation design. 30PCS LEDs ensure night vision distance up to 25m. Vandal proof DOME design with bracket, IP66 rating. Minimum illumination: 0Lux.



[More Information](#) ▶

IR Waterproof 27x Zoom Camera

Model: KC-627RS

Digital 27x(3.9~85.8mm) zoom camera. 1/4" 480TVL Sony Super HAD CCD. Waterproof case for outdoor applications. IR lamps irradiation distance up to 100m. Camera zoom speed: <0.5s. White balance: auto. Shutter speed: 1/5 (1/60) - 1/100,000 (s). Backlight compensation: auto.

[More Information](#) ▶

This eNews is published by Kane Computing Ltd, distributors of DSP/FPGA, Broadcast, Image Processing, Machine Vision, Audio/Video Compression and Telecommunications Solutions.

Kane Computing Ltd respects your online time and privacy. We only send this eNews to our customers and people who have signed up to receive it, however, if you would prefer not to receive future issues of eNews, you may unsubscribe by sending an email to unsubscribe@kanecomputing.com, placing unsubscribe in the 'Subject' line.

If you have received this eNews forwarded from a colleague or friend, you may subscribe yourself by emailing sales@kanecomputing.com and placing 'Subscribe - Video Security' in the 'Subject' line.

Copyright: Kane Computing Ltd 2010
